	Application No.	Applicant(s)	
Notice of Allowability	10/777,497	DAVID, GUY	
	Examiner	Art Unit	
	Jason Y. Pahng	3725	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIP of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport or other appropriate communication GHTS. This application is subject to	plication. If not includ will be mailed in due	ed course. THIS
1. This communication is responsive to 3/29/2006.			
2. ☑ The allowed claim(s) is/are <u>6-10</u> .			
3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	been received. been received in Application No		ation from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) including changes required by the attached Examiner's Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawi he header according to 37 CFR 1.121(ngs in the front (not the d).	e back) of
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 	sit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	must be submitted. AL MATERIAL.	Note the
Attachment(s)			
1. ⊠ Notice of References Cited (PTO-892)	5. Notice of Informal F	atent Application (PT	O-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da 8), 7. ☑ Examiner's Amendr		
 Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 	08), 7. ⊠ Examiner's Amendr	ment/Comment	•
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. 🛛 Examiner's Stateme	ent of Reasons for All	owance
•	9. Other	_	
() and ()			
DERRIS H. BANKS			
SUPERVISORY PATENT EXAMINER			
TECHNOLOGY CENTER 3700			

Application/Control Number: 10/777,497

Application/Control Number. 10/7/7,49

Art Unit: 3725

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview

with the attorney of record, Andrew Chew, on June 7, 2006.

The application has been amended as follows:

With regard to claim 6, line 9, the phrase – of said counter-nut -- has been

inserted following the phrase, "a relative rotation".

Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

The prior art of record disclose an apparatus for separating hard components

from a grinder comprising a grid means, a separating cutter, and a collecting tube.

However, the prior art of record does not disclose or render obvious all of the details of

the limitations of independent claim and, in particular, an apparatus for separating hard

components from a grinder comprising a grid means wherein the gap is adjusted by a

counter-nut in accordance with the means provided in the specification as invoked by

the "means-plus-function" in the claim.

Page 2

Application/Control Number: 10/777,497

Art Unit: 3725

The following prior art made of record and not relied upon is considered pertinent to applicant's disclosure. It includes Leser (US 5,405,095).

Page 3

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason Y. Pahng whose telephone number is 571 272 4522. The examiner can normally be reached on 9:00 AM - 7:00 PM, Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Derris Banks can be reached on 571 272 4419. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JYP

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700